2017/2018

QUANTUM PROCESSING CATALOGUE

quantumlibraries.com.au

Quantum Libraries

Design & Custom Manufacturing · Educational Fitout · Shelving · Furniture
Service Counters & Pods · RFID and EM Security · Trolleys · Library Equipment
Storage Solutions · Bag/Port Racks · Student Lockers · Library Collection Relocations

Table of Contents

- Adhesive Book Covering 5
- Non-Adhesive Book Covering 6
- Rigid Paperback Covers 7
- Preventative Maintenance/ Paperback Repairs 8
- Loose / Torn Pages / Spine Repairs 9
- Corner Repairs / How to Prepare a Magazine / Paperback 10
- Single Stitched Binders tape / Double Stitched Binders Tape 11
- Back to Basics Guide 12
- Part of a Book / Sewing a Book Together 14
- Genre Labels 15-17
- Labels 18-19
- Tapes 20
- Book Repair - Stationary 21
- Library Consumables 22
- Library Book Processing 23
- EM and RFID Accesories 24-25
- Trolleys 26-27

BOOK COVERING APPLICATOR FOR ADHESIVE PLASTIC

STEP 1
PULL COVERCARE TOWARDS YOU AND THE BACKING WILL RELEASE.
KEEPING THE BOOK SQUARE, ROLL THE BOOK OVER TO THE SPINE.

STEP 2
LIFT THE BOOK - PRESS THE SPINE DOWN AND ROLL AGAIN ACROSS THE BACK

STEP 3
THE BOOK NOW HAS THE FRONT AND BACK EVENLY COVERED WITH A FOLD OVER ALLOWANCE ALL ROUND.

STEP 4
USE THE KNIFE OR SCISSORS AND CUT ACROSS THE ROLL.

STEP 5
PLACE THE BOOK ASIDE AND START THE NEXT BOOK UNTIL THEY ARE ALL READY TO HAVE THE CORNERS TRIMMED AND THE EDGES TURNED OVER.

THE MK1 APPLICATOR WILL TAKE
225 - 250 - 300 - 375 & 450mm WIDE ROLLS
225 COVERCARE FOR SMALL PAPERBACKS
250 COVERCARE FOR MEDIUM PAPERBACKS
300 COVERCARE FOR LARGE PAPERBACKS
375 COVERCARE FOR A4 BOOKS
450 COVERCARE FOR BIG BOOKS

Adhesive Book Covering

QLS COVERCARE 80
A protective covering for Paperbacks, Magazines, Maps and Documents.
Film: 80 Micron, Co-Polymer, Castpolypropylene
Superior Clarity , flexibility and tear resistance.
Adhesive: Aques based acrylic pressure sensitive, UV stabilized. Repositionable. Non-Yellowing

QLS COVERCARE 80
BC9010 225mm x 15m
BC9011 250mm x 15m
BC9012 300mm x 15m
BC9013 375mm x 15m
BC9014 450mm x 15m
BC9015 900mm x 15m

QLS COVERCARE 100
A protective covering for Paperbacks, Magazines, Maps and Documents.
Film: 100 Micron, Co-Polymer, Castpolypropylene.
Superior Clarity , flexibility and tear resistance.
Adhesive: Aques based acrylic pressure sensitive, UV stabilized. Repositionable. Non-Yellowing

QLS COVERCARE 100
BC9022 300mm x 15m
BC9025 375mm x 15m
BC9023 450mm x 15m
BC9024 900mm x 15m

QLS COVERCARE 85 - PVC
A protective covering for Paperbacks, Magazines, Maps and Documents.
Film: 85 micron, Co-polymer, Calendared Vinyl Film
Lightly Embossed Surface to minimise glare Excellent contact clarity, flexibility & tear resistance. Adhesive;
3 Aqueous based Acrylic Pressure Sensitive
UV stabilised. Re-positionable. Non Yellowing

QLS COVERCARE 85
BC5010 300mm x 20m
BC5011 450mm x 20m
BC5013 900mm x 20m



LASER SCISSORS
Stainless Steel Blades that never need sharpening
1. Size 2 200mm **BR4356**
2. Size 3 230mm **BR4357**

BOOK COVERING SQUEEGEE
BR4230
For eliminating nasty bubbles when applying adhesive book covering.

BINDERS KNIFE
BR4010
Refillable Blade
BR4020

ALUMINIUM STRAIGHT EDGE - BR4030
For safe cutting of book covering

HELPFUL INSTRUCTIONS: How to use Adhesive Covering

Step 1: Open the book and cut the self adhesive plastic approximately 3 cms larger than the total size of the book including the spine.



Step 2: Peel backing paper from plastic to centre crease. Do not remove backing paper from whole sheet.



Step 3: Position centre of book spineover crease in backing paper and roll book slowly onto adhesive plastic. This allows only one edge of the spine to stick initially.

Step 4: Cut corners off the plastic flush with the corner of the book. Retain corners.



Step 5: Make an angled cut into the shoulder of the book at the top and bottom. Lay book down and firmly rub over entire surface working from centre towards the edges.



Step 6: Fold plastic over each edge of the cover. Adhere the centre of each flap first and then work towards the sides.



Step 7: Peel off the remaining backing paper and repeat steps 4, 5 and 6.

Step 8:
Cut off tags at top and bottom of spine.



Step 9: Stick corners of plastic, removed in step 4, to each corner of inside cover.



Non-Adhesive Book Covering

DRICLEAR

A special non-adhesive dri-slip formulation 100microns thick that will stand up to the rigours of our harsh climate.

BC3020	320mm x 50m
BC3030	400mm x 50m
BC3040	450mm x 50m
BC3070	900mm x 50m
BC3080	1200mm x 50m

HELPFUL INSTRUCTIONS: How to use Non-Adhesive Book Covering



Step 1: Begin by laying the book open. Allow approximately 5 cm for the overlap top, bottom and sides.
Cut plastic.



Step 2: Secure both sides by folding over the plastic, closing the book and clipping down both edges by using bulldog clips or pegs. Cut into the plastic at the spine both top and bottom. Should you wish, the tab can be folded back into the book spine. Otherwise leave free to be trimmed at end of covering process.



Step 3: Holding one of the secured sides vertical, lay flat other side. Remove peg and fold in one corner as shown.



Step 4: Fold down sides. Secure by using good quality vinyl tape, ensuring no tape gets on the book itself. Repeat with other corner. Repeat whole process with the other side of book.



Step 5: Trim off excess plastic at spine if necessary. Using a small blunt instrument or paddle pop stick inside the spine.

SNAP SLEEVING-GLOSS

An adjustable PVC covering for books with dust jackets. It can be easily removed without damage to either the book or dust jacket should a new cover be required.
Use Plastic-to-paper or Roll Fix permanent adhesive to seal open side.

BC4021	200mm x 50m
BC4071	230mm x 50m
BC4043	250mm x 50m
BC4053	300mm x 50m
BC4063	380mm x 50m

PELIKAN ROLL-FIX GL5010

Permanent, double sided adhesive tape. Suitable for photos, paper, posters etc. Refill available. GL5013

HELPFUL INSTRUCTIONS: How to use Snap Sleeving



Step 1: Place extended dustjacket on the SNAP SLEEVE and cut required length, about 2cm longer than the dustjacket.



Step 2: Insert dustjacket between plastic and kraft paper. Make sure the jacket is firmly against the edge of plastic.

Step 3: Turn face down. Fold and remove excess paper to expose 5mm of the jacket, then fold the plastic and secure to the paper using PLASTIC TO PAPER glue or Pelikan Roll Fix.

Step 4: Replace jacket on book by inserting between cover and dustjacket and paper, ensuring that the book and dustjacket are up the right way.

PAPER TO PLASTIC

Special extra strength PVC glue for adhering plastic to paper for books and periodicals.

500ml - GL3011
1 Litre - GL3012
4 Litre - GL3013

3 TIER ROLL DISPENSER

BR1100	600mm wide
BR1101	900mm wide
BR1102	1200mm wide

Rigid Paperback Covers

RIGID PAPER BACK COVERS

Self Adhesive 250 micron PVC with Delayed Bond.

A protective self adhesive book covering for Paperbacks, magazines and documents. The sheet is applied to the front and back covers of the book, making the covers more rigid and durable.

Sold by the individual sheet

BC2503	A4	210 x 297mm
BC2504	A5	150 x 220mm
BC2505	A3	240 x 315mm
BC2506	-	430 x 300mm
BC2502	-	600 x 900mm

Used In conjunction with Venus tape (See page 9)

HELPFUL INSTRUCTIONS: How to use Rigid Paper Back Covering



Step 1: Select 2 sheets of Rigid Cover. Remove the backing paper and position 10mm in from spine. Roll onto front and back cover smoothing down the film surface as you go.

Step 2: Trim excess Rigid Cover with blade or scissors.



Step 3: Select booktape, making sure it is wide enough to cover the spine and that it overlaps the edge of the film by 15mm. Apply to front cover, around spine, and join to the back cover.



Step 4: Trim off the excess tape at top and bottom for a really professional finish.



1. CUTTING MATS

Self Healing

BR1250	450mm x 300mm
BR1260	600mm x 450mm
BR1270	900mm x 600mm

2. ALUMINIUM STRAIGHT EDGE - BR4030

For safe cutting of book covering

3. BOOK COVERING SQUEEGEE BR4230

For eliminating nasty bubbles when applying adhesive book-covering

4. LASER SCISSORS

Stainless Steel blades that never need sharpening

BR4356	Size 2 200mm
BR4357	Size 3 230mm

5. BINDERS KNIFE BR4010

Refillable Blade BR4020

CONTASTICK - BCSTICK

Step 1

After measuring and cutting your contact, feed it through the *Contastick* ®. Then seperate the backing.

Step 2

Align and apply the exposed contact to the book surface like shown.



Step 3

Press down as you pull back towards you. The *Contastick* ® applies the contact and removes the

Contastick®
bubble free | **stress free**
...contact applicator

Preventative Maintenance



STEP 1
Check that the book margin allows enough room to staple. Choose the size of staple which is only slightly longer than the thickness of the contents and will allow enough turnover.



STEP 2
Fold the book covers back and insert the contents into the throat of the stapler. Lock the guide in place if you a quantity of books the same size.



STEP 3
Staple the contents putting the centre staple in first. Ensure that the staple is as close to the glued edge of the book as possible. Use 3 staples for the average paperback book and 4 staples for larger books.



STEP 4
Take a length of VINYL HINGE TAPE and place it evenly over the hinge of the book. Cut off excess tape.



STEP 5
The contents are now secured. The hinge tape covers the staples and binds the cover to the contents.

VENUS SPINE TAPE

50 metre rolls
Can be used for hinges and attaching plastic.

18mm	**TA9010**
24mm	**TA9020**
36mm	**TA9030**
48mm	**TA9040**
72mm	**TA9050**
96mm	**TA9060**
120mm	**TA9070**

WHITE VINYL HINGE TAPE

50 metre rolls
White PVC tape to reinforce hinges.

19mm	**TA8010**
25mm	**TA8020**
38mm	**TA8030**
50mm	**TA8040**

SKREBBA-LONG—SS1232
160 sheet capacity

SKREBBA STAPLES

SS2581 Size 23/6 box of 1000
SS2582 Size 23/8 box of 1000
SS2583 Size 23/10 box of 1000
SS2584 Size 23/12 box of 1000
SS2585 Size 23/15 box of 1000
SS2586 Size 23/17 box of 1000
SS2587 Size 23/20 box of 1000
SS2588 Size 23/24 box of 1000

Paperback Repairs



STEP 1
Align any loose pages and then staple contents as shown in preventative maintenance.



STEP 2
Tidy the spine area using a blade knife. Scrape away the old glue. It is important to remove as much old glue as the new glue won't adhere to the old dried glue.



STEP 3
Spread a liberal amount of Permafix adhesive over the spine area using a brush. Ensure that the glue is covering the entire area.



STEP 4
Centre the spine of the book in the spine area of the cover.

Glue Brush—**BR4280**



STEP 5
Close the book and press the contents back into the spine and allow to dry. Place a piece of adhesive plastic backing paper, folded in half, inside front and back covers to prevent any damage should excess glue seep out. When completely dry use hinge tape to cover over the staples and bind the cover the contents.

LASER SCISSORS

Stainless Steel Blades that never need sharpening
1. Size 2 200mm BR4356
2. Size 3 230mm BR4357

SCISSORS

3. General Purpose	**BR4351**
4. Bantex 160mm	**BR4354**
5. Children's Safety	**BR4352**

PERMAFIX

General PVC book repair glue.
Transparent and flexible when dry.
500m—**GL2011**
1 litre—**GL2012**
4 litre—**GL2013**

Loose Pages

BOOK REPAIR PRESS—BR4290

Designed to clamp the books at a constant pressure while the glue is drying.

Glue Brush—**BR4280**

PERMAFIX

General PVC book repair glue.
Transparent and flexible when dry.

500ml **GL2011**
1 litre **GL2012**
4 litre **GL2013**

STEP 1
Run a thin line of PERMAFIX adhesive along the spine edge of the page



STEP 2
Insert page in correct position of the book. Ensure that the outer edge does not protrude from the rest of the contents. Place a paper, folded in half, each side of the page which is being worked on and close the book. Allow to dry thoroughly.

Torn Pages

$308.30



STEP 1
Align edges of tear ensuring area to be repaired is smooth and flat

STEP 2
Cut a length of MAGIC TAPE slightly longer than the torn section and press down firmly



STEP 3
If the tear runs to the edge of the page fold the excess tape over the edge and smooth down.

MAGIC MENDING TAPE

66 metre rolls
Very durable tape—becomes almost invisible when applied.

TA3010 12mm
TA3020 19mm
TA3030 25mm

Spine Repairs

VENUS SPINE TAPE

50 metre rolls
Can be used for
hinges and attaching plastic.

TA9010	18mm	TA9020	24mm
TA9030	36mm	TA9040	48mm
TA9050	72mm	TA9060	96mm
TA9070	120mm		



STEP 1
Select a tape wide enough to cover the damaged spine. Cut a length of tape allowing 4cm at each end.



STEP 2
Place tape on one cover and roll over to the other side, starting at the centre. Smooth down towards each end. Cut into the shoulder of the book at a slight angle



STEP 3
Open the cover and fold the side pieces of tape inside.

SCOTCH 845 SPINE TAPE

13.7 metre rolls
Very durable with extra clarity. Used for spine repair and reinforcing corners.

TA5030 38mm
TA5040 50mm
TA5050 75mm
TA5060 100mm

RAYON CLOTH TAPE

25 metre rolls
Colours available: Red, Blue, Green, Yellow, and Black.

25mm	**TA101**
38mm	**TA102**
50mm	**TA103**
75mm	**TA104**
100mm	**TA105**

Corner Repairs



STEP 1
Select either RAYON CLOTH TAPE for badly damaged corners or CLEAR SPINE TAPE for less damaged corners. Cut off a square section. Cut square to form 2 triangles.



STEP 2
Place the long edge of one triangle across the outside corner of the book. Leave sufficient overhang to wrap round the thickness of the cover



STEP 3
Make a cut from both sides of the triangle into the corner, ensuring that the corner piece is not detached.



STEP 4
Fold edges over, the corner square piece first, followed by the sides.



STEP 5
Stick remaining triangle to inside corner of cover for a neat finish. Repeat for remaining corners if required.



STEP 6
This results in a neat professional finish inside and out.

RAYON CLOTH TAPE

25 metre rolls
Colours available:
Red, Blue, Green, Yellow, and Black.

TA101 25mm
TA102 38mm
TA103 50mm
TA104 75mm
TA105 100mm

VENUS SPINE TAPE

50 metre rolls
Can be used for hinges and attaching plastic.

TA9010 18mm TA9020 24mm
TA9030 36mm TA9040 48mm
TA9050 72mm TA9060 96mm
TA9070 120mm

HELPFUL INSTRUCTIONS: How to use Protectors



ADHESIVE CORNER PROTECTORS- Specially designed transparent corners to reinforce and repair damaged books. **BR4140**



ADHESIVE SPINE PROTECTORS- Reinforce the top and bottom of spines with transparent ready cut guards. **BR4141**

How to prepare a Magazine/Paperback

1. Remove the corner completely.

2. Using a small fret saw make 4 angles cuts into the spine. (1-2mm deep)



3. Take two lengths of binder's thread and some Permafix adhesive. Put a small amount of adhesive into each cut and then loop the binders thread into two of the angles cuts (see sketch below). Allow the glue to dry before re-gluing the spine and re-fixing the cover. Process as normal i.e. spine/hinge tape.



Single Stitched Binders Tape

SINGLE STITCHED BINDERS TAPE

7.6 metre rolls
Measurements from stitching to edge of tape.

25mm TA2050
38mm TA2060
50mm TA2070



STEP 1
Select a size of tape to suit spine of book.



STEP 2
Cut tape 2mm shorter than t he contents (or end papers)



STEP 3
Spread **PERMAFIX** adhesive on one side of tape. Ensure the entire surface and stitching are covered with a thick layer of adhesive.



STEP 4
Place tape, adhesive side down, on cover with lines of stitching following the lines of the hinges of the cover

REPEAT STEPS - 4 FOR THE OTHER HINGE



STEP 5
Spread PERMAFIX on face up side of tape. Again ensure the entire surface and stitching are covered with adhesive.



STEP 6
Carefully insert contents of book between the two lines of stitching. Close the book, raising the covers to the contents. Always work vertically to prevent movement of the tape.



STEP 7
Immediately re-open book and insert a piece of self-adhesive backing paper, folded in half, to keep the two surfaces of tape separate.

Double Stitched Binders Tape

STEP 1
Select a size of tape so that the space between lines of stitching matches the width of the contents



STEP 2
Cut tape 2mm shorter than the contents (or end papers)



STEP 3
Spread **PERMAFIX** adhe-sive on one side of tape. Ensure the entire surface and stitching are covered with a thick layer of adhesive



STEP 4
Place tape, adhesive side down, on cover with lines of stitching following the lines of the hinges of the cover



STEP 5
Spread PERMAFIX on face up side of tape. Again ensure the entire surface and stitching are covered with adhesive.

STEP 6
Carefully insert contents of book between the two lines of stitching. Close the book, raising the covers to the contents. Always work vertically to prevent movement of the tape.



STEP 7
Immediately re-open book and insert a piece of self-adhesive backing paper, folded in half, to keep the two surfaces of tape separate.

DOUBLE STITCHED BINDERS TAPE

7.6 metre rolls
Measurements between stitching

6mm TA2010
12mm TA2030
19mm TA2040

Quantum

HOW TO GUIDE

Conservation

"Back to Basics" Guide



THE PROBLEM

The covers and sections have come apart from a book you wish to conserve.

Step 1
Remove the covers and all loose paper, residue & old glue, scrape with a binders knife blade then use coarse sand paper

Step 2
Use a Hacksaw and cut diagonally 2-3mm deep cuts across the spine

Step 3
Cut a Length
of Linen Binders Thread & work into cuts

Step 4
Apply
a Liberal coating of Permafix

Step 5
Cut a Piece of Calico
(height of book x width of book + 50mm extra each side) apply directly to the Permafix on the Spine

Step 6
Brush Permafix over the Calico and cut a piece of brown paper the same size as the spine and centre it to Spine

Step 7
Apply
The Cover and Back into a Book Press or sit Heavy Weights on top - leave overnight

"Back to Basics"




Step 8

Cut a Piece of Book Cloth (height of book x width of book + 50mm extra each side) apply Permafix to the Book Cloth. Centre a strip of Brown Paper the same size as the Spine. Work the Book Cloth around the Cover and Back then return to Book Press.

Quantum Book Repair Press
BR4290

Quantum Vice & Drilling Unit
SHB/WB

Step 9

Apply Permafix to either side of the Gutter Front and Back (approx 20mm each side)

Step 10

Fold Two End Papers & place into the Front & Back use a peice of Covercare Backing paper inside each set of End Papers. Close Book & return to Book Press

Calico
100cm wide
SHB/WB



Paper Backs
Quick Fix
see Drilling over page

BEFORE

Parts of a Book

Parts of a Book



Sewing a Book together





The thread should be 2½ times the height of the book as a guide.

1. Punch required number of holes through the fold (always put an odd number of holes in your book, 3, 5 or 7). The best way to do this is by drilling holes. *NB - a 2mm steel drill bit is recommended.*

2. Use the needle to run your thread through the holes, starting with the centre hole.





3. This is the path of the thread through the holes. If you are making a small, thin book, you can get by with three holes rather than five or seven.

4. Cut off the leftover thread and you have a neat strong binding.

Top Stitching Thread

Stretch along the length of the book you are stretching, double this length and then double the whole length again.



I always begin at the back of the book one or two holes in so the ends are nice and firm. When finishing, tie off with a double reef knot. Cut off the excess thread about 10cm from the end and touch the end with paste, laying it flat along the book.

STITCHING BOARD
BR1280

BINDERS THREAD AND NEEDLE PACK (5 Needles

BR4300SET

BINDERS THREAD
BR4300

BOOK REPAIR BODKIN

BR4260

BONE FOLDER

BR4240

Genre Labels

Genre Labels

Quantum Libraries stock a large range of genre labels.

Labels are available by the sheet.
Size 19mm x 19mm
130 Labels per Sheet

New designs and styles constantly added see our website for the latest additions.

ABC Books
LASLAB

Adult Literacy Black
LASLALB

Adventure
LASLAD3

Adventure 1
LLASLAD

Adventure 2
LASLAD2

Animals 1
LASLAN

Animals 2
LASLAN2

Art
LASLART


Art 2
LASLAR1

Australia
LASLAUS2

Australia 3
LASLAUS

Award Winner 1
LASLAW

Award Winner 2
LASLAW2

Award Winning
Author - LASLAWA

Biography Green
LASLBGR

Biography Red
LASLBIO

Board Book
LASLBB

Bodice Ripper
LASLBR

Chic Literature
LASLCHKLIT

Chiness
LASLCH

Christian Stories
LASLCLST

Class Set
LASLCLST

Classic
LASLCL

Classic Black
LASLCL2

Classic Stories
LASLCLSTR

Community History
LASLCOM

Cooking
LASLCO

Cultural Stories
LASSLCS

Genre Labels

Desk Copy
LASLDSKCPY

Detective
LASLDE

Dinosaurs
LASLD

Disaster
LASLDIS

DIY
LALASLDIY

Dog
LASLDOG

Dystopia
LASLDYSTPA

Easy Read
LASLER

Equality Flag
LASLEQ

Fairy
LASLEQ

Fairy Tales
LASLFT

Family
LASLFAM

Fantasy Black
LASLFAN

Fantasy Red
LASLFANR

Fast and Fun
LASLFNF

Fitness
LASLFIT

Freedom
LASLFREE

Frog
LASLFG

Funky Fairy
LASLFF

Graphic Book
LASLGB

Graphic Non Fiction
LASLGNF

Horror 3
LASLHRR3

Horse
LASLHO

House & Garden
LASLHG

House & Garden 1
LASLHG1

Info Technology
LASLIT

Junior Fiction
LASLJF

Junior Non Fiction
LASLJNF

Large Print
LASLLP

Law
LASLL

Lightning
LASLLI

Local Author
LASLLA

Lower Primary
LASLLPR

Magic
LASLMA

Manga
LASLMGA

Media Studies
LASLMS

Medical 1
LASLMED1

Medical 2
LASLMED2

Meditation
LASLM

Music
LASLMUS

Myth and Legends
LASLML

Non Fiction
LASLNF

Mystery 2
LASLMY2

New Book
LASLNB

Not for Loan
LASLNL

Overnight Loan
LASLON

Poetry
LASLP

Parenting
LASLPA

Paranormal
LASLPAR

Genre Labels

Paranormal
LASLPAR1

Paranormal Romance
Paranormal Romance
LASLPARRO

PICTURE BOOK
Picture Book
LASLPB

QUICK PICKS
Quick Picks
LASLQP

QUICK READ
Quick Read
LASLQR

QUICK READS
Quick Read
LASLQRS

REFERENCE
Referemce
LASLRE

Relationship
LASLREL

Romance Red
LASLROR

Sport
LASLS

Science Fiction
LASLSC

School Stories
LASLSCH

SERIES
Series
LASLSE

SERIES
Series Red
LASLSER

SENIOR FICTION
Senior Fiction
LASLSF

Sifi Jupiter
LASLSFJ

STUDY GUIDE
Study Guide
LASLSG

Smiley Humour
LASLSM

Smiley Yellow
LASLSMY

SENIOR NON FICTION
Senior Non Fiction
LASLSNF

Supernature New
LASLSNTN

Supernatural
LASLSNT

STAFF ONLY
Staff Only
LASLSO

SENIOR PICTURE BOOKS
Senior Picture Book
LASLSPB

Sports
LASLSPTS

Sports
LASLSPTSI

STUDENT REFERENCE
Student Reference
LASLSR

Trophy
LASLSS

Star
LASLSTAR

Talking Book
LASLTB

Thriller
LASLTH

TEEN LIFE
Teen Life
LASLTL

TEACHER REFERENCE
Teacher Refernce
LASLTR

Trophy
LASLTRHY

TEACHER RESOURCES
Teacher Resources
LASLTRS

TRUE STORY
True Story
LASLTS

UPPER PRIMARY
Upper Primary
LASLUP

Vampire
LASLVAM

Verse Novel
LASLVN

War
LASLWA

War Purple
LASLWA2

Western
LASLWES

WORLD LANGUAGE
World Language
LASLWL1

World Languages
LASLWL2

YOUNG ADULT
Young Adult
LASLYA

YA
YA Green
LASLYAG

Speedy Read
Speedy Read
LASLPR

STACK
Stack Black
LASLSTB

STARTER BOOKS
Starter Books
LASLSTBK

Labels

LA5010 55mm x 25mm
Available in a box of 500

SPINE LABEL OR BARCODE PROTECTORS

Long lasting, gloss, dear, soft, Polypropylene labels with a permanent heat and U.V. resistant adhesive.

Designed for indoor / outdoor use and will not discolour.

LA5010A Packs of 1000
LA5030 83mm x 38mm
Packs of 1000

QLS LASER SPINE LABELS

A4 Sheets
LA4531
24 X 19 Pkt 960
LA4541
19x 19 Pkt 1000
LA4550
24 X 32 Pkt 960

ALPHABET LABELS LA6550



A4 Sheet of one letter only 88 labels per page
Label size 25mmx 25mm Letter Height 20mm
Permanent Adhesive

BLACK UPPERCASE ONLY

W

Actual size

AVERY LASER, INKJET, PHOTOCOPIER LABELS



LA6501 1 UP
297mm x 210mm



LA6503 2 UP
148mm x 210mm



LA6504 4 UP
105mm x 148mm



LA6505 8 UP
105mm x 74mm



LA6506 14 UP
98mm x 38mm



LA6507 16 UP
105mm x 37mm



LA6510 21 UP
65.3mrn x 38rrm



LA6511 24 UP
70mm x 36mm



LA6512 30 UP
64mm x 25.4mm



LA6513 33 UP
70mm x 25mm

Labels

PRINTED SELF ADHESIVE LIBRARY LABELS - 19 x 19mm Box 1000 Red print on white label

ALL QLS LABELS ARE MADE SPECIALLY FOR THE LIBRARY MARKET



QUIK STIK SELF ADHESIVE LABELS DISPENSER PACK

Quik Stik Labels come in a wide variety or shlapes and sizes. They provide an ideal method of coding, pricing or identifying a wide range of products.
The handy dispenser pack is fast, economical and flexible.

CIRCULAR WHITE LABELS

LA1011	MC14 14mm diam*	Box /1200
LA1021	MC24 24mm diam*	Box /550
LA1031	MC32 32mm diam	Box/350

SQUARE WHITE LABELS

LA2442	MS19 19 X 19mm	Box/900
LA4441	FLAT 19 x 19mm	Pk 1000

RECTANGULAR WHITE LABELS

*Available in Flat Pack

LA2231	MR1016	10 x 16mm	Box/1500
LA2241	MR1024	10 x 24mm	Box1200
LA2251	MR1034	10 x 34mm	Box750
LA2261	MR1319	13 x 19mm	Box/1000
LA2271	MR1324	13 x 24mm	Box/900
LA2281	MR1335	13 x 35mm	Box/700
LA2291	MR1349	13 x 49mm*	Box/550
LA2301	MR1624	16 x 24mm	Box/800
LA2311	MR1924	19 x 24mm	Box/650
LA2321	MR1932	19 x 32mm	Box/550
LA2331	MR1940	19 x 40mm	Box/450
LA2341	MR1963	19 x 65mm*	Box/280
LA2351	MR2432	24 x 32mm	Box/420
LA2361	MR2440	24 x 40mm	Box/375
LA2371	MR2449	24 x 49mm*	Box/325
LA2381	MR2976	29 x 76mm*	Box/180
LA2391	MR3545	35mm x 45mm	Box/220
LA2401	MR4465	44 x 65mm*	Box/150
LA2412	MR4489	44 x 89mm	Box/100
LA2422	MR845	8 x 45mm	Box/700
LA2432	MR24102	24 x 102mm*	Box/160

CIRCULAR COLOURED LABELS

24MM-500 PER BOX	14MM-1050 PER BOX
LA1024 BLUE	LA1014 BLUE
LA1025 RED	LA1015 RED
LA1026 GREEN	LA1016 GREEN
LA1027 YELLOW	LA1017 YELLOW
LA1028 ORANGE	LA1018 ORANGE
LA1023 PINK	LA1013 PINK
LA1022 BROWN	LA1012 BROWN
LA1020 GOLD	LA1010 GOLD
LA1029 BLACK	LA1019 BLACK

Printing ink colours and shade may change from batch to batch. Illustrated colours may not always be available.

Tapes

VENUS SPINE TAPE
50 metre rolls
Can be used for hinges and attaching plastic.
18mm **TA9010**
24mm **TA9020**
36mm **TA9030**
48mm **TA9040**
72mm **TA9050**
96mm **TA9060**
120mm **TA9070**

SCOTCH 845 SPINE TAPE
13.7 metre rolls
Very durable with extra clarity. Used for spine repair and reinforcing corners.
38mm **TA5030**
50mm **TA5040**
75mm **TA5050**
100mm **TA5060**

MAGIC MENDING TAPE
66 metre rolls
Very durable tape—becomes almost invisible when applied.
12mm **TA3010**
19mm **TA3020**
25mm **TA3030**

WHITE VINYL HINGE TAPE
50 metre rolls
White PVC tape to reinforce hinges.
19mm **TA8010**
25mm **TA8020**
38mm **TA8030**
50mm **TA8040**

DOUBLE SIDED TAPE
30 metre rolls
Handy for encapsulating and various other odd jobs.
12mm **TA0101**
19mm **TA0102**
25mm **TA0103**

FILAMENT TAPE
50 metre rolls
Opaque self-adhesive polypropylene with bilateral fibreglass filaments. For reinforcing spines and hinges.
12mm **TA1111**
19mm **TA1112**
25mm **TA1113**
38mm **TA1114**
50mm **TA1115**

RAYON CLOTH TAPE
25 metre rolls
Suitable for repair of spines and general binding.
Colours available: Red, Blue, Green, Yellow and Black.
25mm **TA101**
38mm **TA102**
50mm **TA103**
75mm **TA104**
100mm **TA105**

SINGLE STITCHED BINDERS TAPE
7.6 metre rolls
Measurements from stitching to edge of tape.
25mm **TA2050**
38mm **TA2060**
50mm **TA2070**

DOUBLE STITCHED BINDERS TAPE
7.6 metre rolls
Measurements between stitching
6mm **TA2010**
12mm **TA2030**
19mm **TA2040**

TAPE DISPENSER—TD1711
33mm core
up to 25mm wide tape.
Replacement parts available.

3 CORE TAPE DISPENSER TD1717
76mm core
Fits 3 tapes up to 25mm wide

HEAVY DUTY TAPE DISPENSER
76mm Core Available in 4 sizes (150mm wide shown)

Size Code
50mm Wide **TD1714**
75mm Wide **TD1712**
100mm Wide **TD1716**
150mm Wide **TD1715**

Book Repair - Stationary



BINDING TOOLS

1. Binders Thread BR4300
2. Adhesive Brush BR4280
3. Book Repair Bodkin BR4260
4. Bone folder BR4240

Binders Thread &: Needle pack (not shown) **BR4300SET**

BOOK COVERING SQUEEGEE BR4230

For eliminating nasty bubbles when applying adhesive book covering

CUTTING MATS

Self Healing
450mm x 300mm BR1250
600mm x 450mm BR1260
900mm X 600mm BR1270

TOOLS

1. Brush BR4280
2. Bone folder BR4240
3. Knife BR4010

Spare blades **BR4020**

PERMAFIX

General PVC book repair glue.
Transparent and flexible when dry.
500ml **GL2011**
1 Litre **GL2012**
4 litre **GL2013**

PAPER TO PLASTIC

Special extra strength PVC glue for adhering plastic to paper for books and periodicals
500ml **GL3011**
1 Litre **GL3012**
4 Litre GL3013

BOOK REPAIR PRESS BR4290

Designed to clamp the books at a constant pressure While the glue is drying.

1.QLS VELCRO TAPE

Sold by the metre - White only
Hook Style **TA0010**
Loop Style **TA0020**

8g **GL5031**
21g **GL5032**
40g **GL5034**

LASER SCISSORS
Stainless Steel Blades that never need sharpening
1. Size 2 200mm **BR4356**
2. Size 3 230mm **BR4357**
3. Ledah 160mm **BR4354**

BLU-TACK GL5050

3. VELCRO SPOTS ST2620

for safety using a binders knife

PELIKAN ROLL-FIX

Roll on adhesive

Permanent **GL5010**
Refill **GL5013**

Non-Permanent **GL5021**
Refill **GL5020**

Library Consumables

DECAL & STICKER REMOVER LA8001

A product specifically designed to remove vinyl lettering, sticker and adhesive.

Works best with:
"Blaster Little Miracle Blade"

BLASTER E-Z TAKE AWAY STICKER REMOVER LA8000

Does an excellent job in removing any adhesive based sticker or label. (e.g. price stickers, paper barcode labels, Dewey Labels) from book cover, plastic hanging bags or other resource material. E·Z Take away is nonstaining, non-wrinkling and dries clear.

BLASTER LITTLE MIRACLE BLADE LA8002

Using the blade, gently lift the short edge of the label.
The label should then pull away from the paper or other base material easily.

BOOK POCKETS ST2020
Sold in packs of
100 or 1000

BOOK CARDS ST2060
Newark—white only
75mmW x 127mmH
Sold in packs of
100 or 1000

BOOK CARDS ST2070
School Pattern
75mmW x 120mmH
Sold in packs of
100 or 1000

DATE DUE SLIPS ST2320
73mmW x 123mmH
Sold in packs of 1000/

CORRECTOR GL5011

Roll on correction tape.
No waiting to dry.

AUTOMATIC NUMBERING MACHINE ST2082

6mm 6 number, 7 action self inking.
Can be set to repeat 2-12 times
or repeat indefinitely. Supplied with ink
and Wooden stylus
Replaceable Clips and pads.

DATE STAMP ST1050

4mm Black Self Inking

POLYPROP PAMPHLET BOX Blue

PB5310 75W x 275H x 250mmD

ECONOMY PAMPHLET BOX

PB5280 100mmW x 275mmH x 250mmD

ST1020

Line Dater Blue

Staplers / Trimmers / Guilotines

STANDARD STAPLE SS2010
26/6 PACK OF 5000



BOSTICH LONG ARM STAPLER SS1231
20 sheet capacity
Anti Jam • Adjustable throat up to 30cm
Staple size 26/6



Desk-top STAPLER SS1030
Adjustable for stapling or pinning
Opens fully for tacking
Staple size 26/6

LEDAH ELECTRIC STAPLER SS1010
20 sheet capacity
Takes 24/6 Staples
12 month warranty

HEAVY DUTY TACKER SS1190
Takes sizes 4, 6, 8, 10, 14

SCISSOR STYLE STAPLE REMOVER SS1500

CLAW STAPLE REMOVER
SS1502

HEAVY DUTY STAPLERS

SKREBBA·BLOCK SS1233
200 sheet Capacity
Adjustable throat depth to 100mm
Staple Sizes: 8, 10, 12, 15, 17, 20, 24

SKREBBA·LONG SS1232
160 sheet capacity
Adjustable throat depth to 150mm
Staple Sizes: 8, 10, 11, 15, 17, 20

SKREBBA STAPLES

SS2581	Size 23/6	Box 1000
SS2582	Size 23/8	Box 1000
SS2583	Size 23/10	Box 1000
SS2584	Size 23/12	Box 1000
SS2585	Size 23/15	Box 1000
SS2586	Size 23/17	Box 1000
SS2587	Size 23/20	Box 1000
SS2588	Size 23/24	Box 1000

ROTARY TRIMMERS

LEDAH 550 A4 GU1751
360mm cutting length
Metal Base
15 Sheet cutting capacity



LEDAH 552 A3 GU1702
460mm cutting length
Metal Base
15 Sheet cutting capacity

GUILLOTINES

LEDAH 405 A4 GU1703
390mm cutting length
Metal Base
20 Sheet cutting capacity
Safety Guard
Adjustable Back Stop



LEDAH 406 A3 GU1704
460mm cutting length
Metal Base
20 Sheet cutting capacity
Safety Guard
Adjustable Back Stop



EM AND RFID TAGS

EM TAGS AND ACCESORIES

Tail Tags - Circulating
#DI1010
Double Sided Adhesive packs of 1000
DIALOC 125MM
SOLD AS PACK OF 1000

Easily applied using the
(#DI1110)
tag insetion tool



Spine Tags - Circulating
#DI1020
Single Sided Adhesive packs of 1000
(Hard Cover Material
Dialoc 125mm
Sold per 1000

Video / Audio Faux Bar Code
packs of 1000
Applied to outside face of Video/
Audio Cassette
to be used with DI1080 Multi
Media Deactivator/Reactivator ONLY #DI1033 Circulating
$155.00/1000

Clear Tags 90mm
packs of 1000
DI1035 Non - Circulating
Sold per 1000

CD/DV D
packs of 1000
Clear FIlm - Easily aplied
Single strip will not create disc
imbalance while playing

Faux Barcode 90mm
packs of 1000
#DI1032 Non - Circulating
Sold per 1000



#DI1031 Circulating
Sold per 1000
#DI1030 Non Circulating
Sold per 1000

QLST Super Tag #DI1026
Double Sided Adhesive
packs of 1000
Designed to be hidden within
the pages Quantum165mm
Sold per 1000

QLST Super Tag #DI1027
Single Security Strip will not cre-
ate disc imbalance while
playing $89.30 /100

RFID Tags

An RFID label consists of an aluminium antenna and a very small microchip attached to the antenna. Compatible with all common library RFID Data Models Standard book label: 50 x 80 mm



Operating frequency: 13.56 MHz
RFID Standards: ISO15693,
18000-3-1
• Microchip: NXP SLIX
Memory: 1024 bit
P#DI1283 50 x 80.

CD Tags
Operating frequency: 13.56 MHz RFID Standards: ISO15693, 18000-3-1
• Microchip: NXP SLIX Memory: 1024 bit
• Face material: paper or plastic (PP) Colour or other printing optional
• Preprogrammed tags optional

Printed RFID Tags DI1283
Compatible with all common Library RFID Data Models and RFID Systems
50mm x 80mm
MULTI colour print on white (as shown) SIngle colour all so available
MOQ (10,000)
Plain tag no print
MOQ (2,000)

24

EM and RFID Accesories

LibCabinet

With LibCabinet you now can have your own small library on location. With a combined check in and checkout function, you can offer an independent library at an indoor location of your choice.
All you need is a network conection andpower outlets,
- No staff needed , Intuitive user interface, Low Maintenance
Perfect for Short term loans Small investment to greatly extend library reach

RFID Self-Checkout Station

Self-Checkout has many advantages. Patrons can take better control off their library experiences and allows for library staff to devote resources to other areas adding more value to the library.

EM / Self-Checkout Station

Damiond Premium Security Gates





General:
> Functions: Security, alarm by light and sound (type and volume adjustable)
> Security: EM & RFID labels
> Areas of application: Libraries, bookshops, multimedia stores
Optional people counter, LED RGB Lighting*
*Allows LED lighting to remain on at all times and pulse when alarm is triggered

Compatibility:
> RFID All major 13.56 MHz, ISO 15693, ISO 18000 - 3.1, ISO 28560 Compliant Transponders, tagI , I-Code SLI, Pico Pass
> RFID (EAS bit or AFI byte) detection

Technical information:
> 1-2 entrances with one control unit Multiple entrances with 2 control unit
> EM & Hybrid Max width for 1 entrance .9m
RFID Max width for 1 entrance 1.1m (Frequency: 13.56 MHz)
EM Full Digital Configuration (DSP) Switch Compacitor Filtering (SCF)
Dimensions: (L x W x H) 705 x 96 x 1900 mm

25

Trolleys

DESIGNED TO CONFORM TO WORKPLACE HEALTH AND SAFETY REQUIREMENTS

1. ARMIDALE FLAT SHELF TROLLEY TR2011
2. ARMIDALE SLOPING SHELF TROLLEY TR2021
Half size book trolley.

Dimensions: 1110mmH x 500mmW x 500mmD
Distance between shelves: 320mm

GRAVITY FED TROLLEY TRGFTB*
Two shelf gravity trolley for easy access
1200mmH x 820mmW x 350mmD
Distance between shelves: 300mm

CATALOGUING TROLLEY TR2030

Dimensions: 1100mmH x 450mmW x 570mmD
Shelves set at a 20° angle
Distance between shelves: 340mm

Unless specified, Trolleys will be supplied in White Birch
Black or Oyster Grey available at no additional charge.
LARGE RANGE OF CUSTOM COLOURS AVAILABLE, COLOUR FEE APPLICABLE POA

BRISBANE SLOPING SHELF TROLLEY TR2013

Dimensions: 1105mmH x 650mmW x 500mmD
Distance between shelves: 370mm

NEW
Adjustable trolley dividers with magnetic rubber under to stop slip.
TRSDIV

BRISBANE FLAT SHELF TROLLEY TR2012
Dimensions: 1105mmH x 650mmW x 500mmD
Distance between shelves: 370mm

ALL QUANTUM LIBRARIES' TROLLEYS HAVE TUBULAR STEEL FRAMES AND ARE FULLY BRACED BENEATH THE BOTTOM SHELF

Trolleys

SINGLE SIDED 2 SHELF BOOK TROLLEY TR2015
Dimensions: 1110mmH x 650mmW x 400mmD
Distance between shelves: 420mm

ALSO AVAILABLE 850mm WIDE TR2014
Handles optional (50mm wide) Not included in price

SINGLE SIDED BOOK TROLLEY TR2060
(Custom Green Shown)
Dimensions: 1110mmH x 850mmW x 400mmD
Distance between shelves:
1st & 2nd—325mm
2nd & 3rd—335mm

1. METAL FLAT SHELF TROLLEY TR2010
2. METAL SLOPING SHELF TROLLEY TR2020

Dimensions: 1110mmH x 850mmW x 500mmD
Distance between shelves: 320mm

3. **TWO SHELF TROLLEY**
(Custom Blue Shown)
WITH FIXED DIVISIONS*
Flat: **TR2016**
Sloping: **TR2022**

Five Reasons why Quantum Libraries trolleys will outlast competitors

1. 1.6mm Continuous Tubular Metal Frame

2. 1mm ZincAlume Sheet, All Shelves are double folded for strength

3. Fully Engineered Solid Metal Insert welded into frame for wheels

4. 125 mm Industrial Castor Wheels (Slow wearing for years of use and easy to replace)

5. Optional Noise and Vibration Damping Sheets

Book Processing Work Shop

Quantum Libraries will conduct free 'How to care for your books workshops upon requests.
To be held at our office at Unit 1/135 Ingleston Road, Wakerley Brisbane 4154

4 Hour Workshops with morning tea provided. The only condition is we take a maximum of 20 attendees at a time.

To arrange for a workshop call 1800 773 374

Quantum Libraries

(Queensland Librarie Suppies T/A)

Phone 1800 773 374
FAX 1800 068 944
info@quantumlibraries.com.au
www.quantumlibraries.com.au

Unit 1/135 Ingleston Road
Wakerley QLD 4154

Australia Wide Email Ordering: sales@quantumlibraries.com.au
Local Buy Contract - Library Resources (Goods and Services)
BUS255-0116